

CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD

SAN FRANCISCO BAY REGION

ORDER 87-164

AN ORDER AMENDING ORDER NO. 87-142

SITE CLEANUP REQUIREMENTS FOR:

HEWLETT-PACKARD 640 PAGE MILL ROAD
VARIAN ASSOCIATES 601 CALIFORNIA AVENUE
STANFORD UNIVERSITY
PALO ALTO
SANTA CLARA COUNTY

The California Regional Water Quality Control Board, San Francisco Bay Region (hereinafter called the Board), finds that:

1. On October 21, 1987, the Regional Board adopted Order No: 87-142 prescribing site cleanup requirements for Hewlett-Packard, Varian Associates, and Stanford University, (hereinafter referred to as the dischargers).
2. The issue of Stanford University being secondarily responsible for the cleanup specified in the Order was discussed at the October 21, 1987 Board meeting. Although the Board subsequently adopted the Order as it was written they directed the staff to consider an appropriate amendment to the Order for the December Board meeting concerning the issue.
3. On June 18, 1987, the State Water Resources Control Board adopted Order No. WQ 87-6 regarding the cleanup responsibility of certain property owners of contaminated sites. Order No. 87-6 applies to the facts and circumstances of this site.
4. A review of the dischargers site cleanup responsibilities requires that Order 87-142 be amended.
5. This action is an order to enforce the laws and regulations administered by the Board. This action is categorically exempt from the provisions of CEQA pursuant to Section 15321 of the Resources Agency Guidelines.
6. The Board has notified the dischargers and all interested agencies and persons of its intent under California Water Code Section 13304 to prescribe Site Cleanup Requirements for the discharges and has provided them with an opportunity for a public hearing and an opportunity to submit their written views and recommendations.
7. The Board, at a public meeting, heard and considered all comments pertaining to these discharges.


IT IS HEREBY ORDERED, that this Board's Order No: 87-142 is amended as to read as follows:

A. Provision C.1 and C.2 are revised as follows:

- "1. Hewlett-Packard, Varian Associates, and Stanford University shall comply with Prohibition A.1., Specification B.1., and Provisions 2.b, 7, 8, 9, 10, 11, 12, 13, 14, and 15."
- "2. Hewlett-Packard and Varian Associates shall submit to the Board acceptable monitoring program reports containing results of work performed according to a program to be prepared by the Board's Executive Officer. Hewlett-Packard and Varian Associates shall also comply with Prohibitions A.2. and A.3., Specification B.2. and with all other Provisions and portions of Provisions not listed in Provision 1 including compliance with the time schedule and tasks listed below. Within 60 days of the Executive Officer's determination and actual notice to Stanford University that Hewlett-Packard and Varian Associates have failed to comply with this paragraph, Stanford University, as landowner, shall comply with this paragraph."

I, Roger B. James, Executive Officer, do hereby certify that the foregoing is a full, true and correct copy of an Order adopted by the California Regional Water Quality Control Board, San Francisco Bay Region, on December 16, 1987.

Roger B. James



Executive Officer